

# POUR UNE MEILLEURE QUALITÉ D'EAU

Avenue okba ibn nafaa route grema km 9, Sfax - Tunisie

I +216 25 602 600
∞ info@hwt.tn
⊕ www.hwt.tn



# **DP BIG filter housings** Big design filter housings for full-flow applications

Atlas Filtri DP BIG housings are specifically designed for cartridges with an outer diameter of 4.5" (from 4.0" to 4.5" applicable) and a pressure rating of 120 PSI.

Available with NPT tapered IN/OUT connections in 1" and 1"1/2, the housings adapt to any large capacity filtration or heavy duty application.

DP BIG housings are available in blue or clear sumps and are offered in 10" or 20" lengths. Head assemblies in the double and triple version are patented and uniquely designed as a single manifold unit. This exclusive design reduces labor costs and liability of water leaks, making installation faster and easier, saving both time and money.

Unique optional features include single, double and triple manifolds equipped with a drain port at the bottom of the housing and gauge connections at the top. Gauges and drain kits are offered separately, as needed for the design of the system.

All DP BIG housings are provided with a specially designed wrench to remove the housing sump from the head assembly as well as the drain plug from the bottom of the housing sump. An exclusive blue colored O-ring is used on the sump to ensure proper selections when servicing the filter. This avoids confusion in the market where a wrong competitive black O-ring is used and may be subject to leaks. A food grade lubricant called LubriKit is provided to properly lubricate the sump housing o-ring.

Atlas Filtri is driven to providing our customers with the best available products to meet their filtration requirements. This is done by using the most advanced manufacturing and design methods, which is why we can bring you the highest-pressure rating of any filtration housing on the market. The international patents received come from a constant commitment to research and develop that result in new and innovative products.

Check out more about Atlas Filtri at www.atlasfiltri.com

# **FEATURES**

- MONO/single, DUO/double or TRIO/triple unique manifold heads.
- Optional gauge and drain ports.
- Metal Stand Frame available.
- Suitable for cartridges up to 4.5".
- Available in 10" and 20" lengths.
- Clear and blue sumps with same pressure rating at 120 psi.
- NPT connection ports 1" and 1"1/2.
- Pressure-relief feature includes an O-ring seal, no spring is used that can result in a water leak.
- Uniquely threaded wall mount bracket screw ports on all heads for ease of installation.
- Accessories included are a housing wrench and LubriKit for O-ring lubrication.



# SPECIFICATIONS

#### Materials:

Heads: reinforced polypropylene. Blue sumps: reinforced polypropylene. Clear sumps: PET. O-rings: EPDM.

Working conditions for all versions of DP BIG housings: Working pressure: Max 120 psi (8.3 bar). Working temperature range: Min 39.2°F (4°C) - Max 113°F (45°C).

# CERTIFICATIONS



Housings certified by IAPMO RT to NSF/ANSI 42, 61, 372 - lead free, CSA B483.1. In compliance with drinking water regulations, USA and Canada.









## **PRODUCTS SPECIFICATIONS and PERFORMANCE**

Listed PS PM models come with gauge plugs and drain plugs. Specifications apply also to unplugged models and to F models with floor stand FRAME.

| PART NO.  | MODEL                                | FILTER H | IN/OUT | MAX DIMENSIONS HxW        | PRESSURE DROP@FLOW RATE       |
|-----------|--------------------------------------|----------|--------|---------------------------|-------------------------------|
| RA1701745 | DP Big PS PM 10 Mono 1 NPT IN TS     | 10"      | 1"     | 15.35"x7.48" (390x190mm)  | 0.44psi@15gpm (0.03bar@57lpm) |
| RA1701945 | DP Big PS PM 10 Mono 1 1/2 NPT IN TS | 10"      | 1"1/2  | 15.35"x7.48" (390x190mm)  | 0.73psi@20gpm (0.05bar@76lpm) |
| RA1801745 | DP Big PS PM 20 Mono 1 NPT IN TS     | 20"      | 1"     | 25.47"x7.4" (647x190mm)   | 0.44psi@15gpm (0.03bar@57lpm) |
| RA1801945 | DP Big PS PM 20 Mono 1 1/2 NPT IN TS | 20"      | 1"1/2  | 25.47"x7.4" (647x190mm)   | 0.73psi@20gpm (0.05bar@76lpm) |
| RA1701746 | DP Big PS PM 10 Mono 1 NPT IN AB     | 10"      | 1"     | 15.35"x7.48" (390x190mm)  | 0.44psi@15gpm (0.03bar@57lpm) |
| RA1701946 | DP Big PS PM 10 Mono 1 1/2 NPT IN AB | 10"      | 1"1/2  | 15.35"x7.48" (390x190mm)  | 0.73psi@20gpm (0.05bar@76lpm) |
| RA1801746 | DP Big PS PM 20 Mono 1 NPT IN AB     | 20"      | 1"     | 25.47"x7.4" (647x190mm)   | 0.44psi@15gpm (0.03bar@57lpm) |
| RA1801946 | DP Big PS PM 20 Mono 1 1/2 NPT IN AB | 20"      | 1"1/2  | 25.47"x7.4" (647x190mm)   | 0.73psi@20gpm (0.05bar@76lpm) |
| RA1702755 | DP Big PS PM 10 Duo 1 NPT IN TS      | 10"      | 1"     | 15.94"x15.35" (405x390mm) | 0.87psi@15gpm (0.06bar@57lpm) |
| RA1702955 | DP Big PS PM 10 Duo 1 1/2 NPT IN TS  | 10"      | 1"1/2  | 15.94"x15.35" (405x390mm) | 1.45psi@20gpm (0.1bar@76lpm)  |
| RA1802755 | DP Big PS PM 20 Duo 1 NPT IN TS      | 20"      | 1"     | 26.38"x15.35" (670x390mm) | 0.87psi@15gpm (0.06bar@57lpm) |
| RA1802955 | DP Big PS PM 20 Duo 1 1/2 NPT IN TS  | 20"      | 1"1/2  | 26.38"x15.35" (670x390mm) | 1.45psi@20gpm (0.1bar@76lpm)  |
| RA1702756 | DP Big PS PM 10 Duo 1 NPT IN AB      | 10"      | 1"     | 15.94"x15.35" (405x390mm) | 0.87psi@15gpm (0.06bar@57lpm) |
| RA1702956 | DP Big PS PM 10 Duo 1 1/2 NPT IN AB  | 10"      | 1"1/2  | 15.94"x15.35" (405x390mm) | 1.45psi@20gpm (0.1bar@76lpm)  |
| RA1802756 | DP Big PS PM 20 Duo 1 NPT IN AB      | 20"      | 1"     | 26.38"x15.35" (670x390mm) | 0.87psi@15gpm (0.06bar@57lpm) |
| RA1802956 | DP Big PS PM 20 Duo 1 1/2 NPT IN AB  | 20"      | 1"1/2  | 26.38"x15.35" (670x390mm) | 1.45psi@20gpm (0.1bar@76lpm)  |
| RA1703755 | DP Big PS PM 10 Trio 1 NPT IN TS     | 10"      | 1"     | 15.94"x23.22" (405x590mm) | 1.45psi@15gpm (0.1bar@57lpm)  |
| RA1703955 | DP Big PS PM 10 Trio 1 1/2 NPT IN TS | 10"      | 1"1/2  | 15.94"x23.22" (405x590mm) | 2.40psi@20gpm (0.16bar@76lpm) |
| RA1803755 | DP Big PS PM 20 Trio 1 NPT IN TS     | 20"      | 1"     | 26.38"x23.22" (670x590mm) | 1.45psi@15gpm (0.1bar@57lpm)  |
| RA1803955 | DP Big PS PM 20 Trio 1 1/2 NPT IN TS | 20"      | 1"1/2  | 26.38"x23.22" (670x590mm) | 2.40psi@20gpm (0.16bar@76lpm) |
| RA1703756 | DP Big PS PM 10 Trio 1 NPT IN AB     | 10"      | 1"     | 15.94"x23.22" (405x590mm) | 1.45psi@15gpm (0.1bar@57lpm)  |
| RA1703956 | DP Big PS PM 10 Trio 1 1/2 NPT IN AB | 10"      | 1"1/2  | 15.94"x23.22" (405x590mm) | 2.40psi@20gpm (0.16bar@76lpm) |
| RA1803756 | DP Big PS PM 20 Trio 1 NPT IN AB     | 20"      | 1"     | 26.38"x23.22" (670x590mm) | 1.45psi@15gpm (0.1bar@57lpm)  |
| RA1803956 | DP Big PS PM 20 Trio 1 1/2 NPT IN AB | 20"      | 1"1/2  | 26.38"x23.22" (670x590mm) | 2.40psi@20gpm (0.16bar@76lpm) |













#### **ACCESSORIES INCLUDED**

| RE9020650 | LUBRIKIT - O-Ring Lubricant |
|-----------|-----------------------------|
| RB7403019 | DP BIG BLACK WRENCH         |

#### **ACCESSORIES ON DEMAND/ORDER SEPARATELY**

| RB7401032 | METAL WALL BRACKET DP BIG MONO ZYNC PLATED       |
|-----------|--|
| RB7401040 | METAL WALL BRACKET DP BIG MONO WHITE FINISH      |
| RB7401043 | METAL WALL BRACKET DP BIG DUO WHITE FINISH       |
| RB7401044 | METAL WALL BRACKET DP BIG TRIO WHITE FINISH      |
| RB7401051 | LEGS KIT 10" FOR DP BIG WALL BRACKETS - w/screws |
| RB7401052 | LEGS KIT 20" FOR DP BIG WALL BRACKETS - w/screws |
| RB7401047 | Stand FRAME DP BIG DUO 10 - w/screws             |
| RB7401048 | Stand FRAME DP BIG DUO 20 - w/screws             |
| RB7401049 | Stand FRAME DP BIG TRIO 10 - w/screws            |
| RB7401050 | Stand FRAME DP BIG TRIO 20 - w/screws            |
| LB7221134 | FRAME DP BIG GROUND FIXING KIT of screws         |
| LB7221129 | DRAIN KIT for DP BIG                             |
| AA9020638 | Pressure GAUGE for DP BIG                        |

### **SPARE PARTS**

AA7530215 DP BIG SUMP O-RING BLUE

LA9062106 KIT of 4 M8x25\* screws and washers for DP BIG Wall Bracket

\* M8x25 are mandatory dimensional specs for screws. DP BIG ports for wall bracket screws are threaded. Do not use screws with dimensional specs different from the specification.



ATLAS FILTRI® is a registered trade mark of ATLAS FILTRI srl. Unauthorized use of the registered trade mark is strictly forbidden. Images and texts are property of ATLAS FILTRI srl, which reserves the rights to change products design and specification without prior notice.

#### ATLAS FILTRI North America LLC

1068 North Farms Road Bldg. #3 - Wallingford, CT 06492, USA Phone +1(203)284-0080 - Fax +1(203)294-9226 - e-mail: atlasfiltrinorthamerica@atlasfiltri.com A Company of the Atlas Filtri Group. Headquarter and production in Italy. www.atlasfiltri.com